

Message

From: Yannayon, Laura [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0EC245483F2D4762801CD01D01220F92-LYANNAYO]
Sent: 5/13/2019 7:52:09 PM
To: Adam Baughman [adam.baughman@edcgov.us]
CC: Parent, Stephanie@ARB [stephanie.parent@arb.ca.gov]; Sutkus, Carol@ARB [carol.sutkus@arb.ca.gov]
Subject: RE: Federal NSR update

Yes. It must be re-noticed, as this is a new action you are taking and submitting for SIP approval.

Laura

From: Adam Baughman <adam.baughman@edcgov.us>
Sent: Monday, May 13, 2019 12:50 PM
To: Yannayon, Laura <Yannayon.Laura@epa.gov>
Cc: Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov>; Sutkus, Carol@ARB <carol.sutkus@arb.ca.gov>
Subject: Re: Federal NSR update

Thanks Laura,

Yes, we fully noticed it last time with adoption of the new rule. I was hoping to get it on the June 4 agenda since we have a bunch of other items on there, but if I need to renote for 30-days for the revision, then obviously that can't happen. Was wondering if this revision needed it's own noticing. I will do so to be on the safe side.

Adam Baughman
Sr. Air Quality Engineer
El Dorado County Air Quality Mgmt District
345 Fair Lane, T-1
Placerville, CA, 95667
(530) 621-7571

On Mon, May 13, 2019 at 12:47 PM Yannayon, Laura <Yannayon.Laura@epa.gov> wrote:

Hi Adam,

Generally you must give a 30 day public notice of the fact that the board will consider adoption of the revised rule on a certain date at their board mtg. The notice must ask for any public comments to be submitted in advance or at the board meeting. By allowing the public comments at the board meeting, this fulfills a requirement to hold a public hearing if requested.

I would guess that CARB might have some standard rule adoption language for your newspaper notice to satisfy EPA's rule adoption requirements?

Laura

From: Adam Baughman <adam.baughman@edcgov.us>

Sent: Monday, May 13, 2019 12:21 PM

To: Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov>

Cc: Yannayon, Laura <Yannayon.Laura@epa.gov>; Sutkus, Carol@ARB <carol.sutkus@arb.ca.gov>

Subject: Re: Federal NSR update

Hi All,

I'm ready to take the revised rule to our Board. Do I have to renote this item in the newspaper?

Adam Baughman

Sr. Air Quality Engineer

El Dorado County Air Quality Mgmt District

345 Fair Lane, T-1

Placerville, CA, 95667

(530) 621-7571

On Mon, Apr 15, 2019 at 12:15 PM Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov> wrote:

Hi Adam,

For the District resolution for the NSR rule, you do not need an additional "Be it further Resolved" statement regarding the withdrawal.

CARB will indicate in the cover letter that we are requesting withdrawal of the current SIP submittal and replacing it with the new submittal.

Sincerely,

Stephanie



Stephanie Parent,

Air Pollution Specialist
Air Quality Planning and Science Division | South Coast Section

P.O. Box 2815
Sacramento, CA 95812
Phone: (916) 324-0551
Fax: (916) 322-4357
stephanie.parent@arb.ca.gov
www.arb.ca.gov

The climate change challenge facing us is real. For a list of simple actions you can take to reduce your environmental impact, visit www.CoolCalifornia.org.

If you would like to give us feedback on our customer service, please complete the [customer satisfaction survey](#).

From: Adam Baughman <adam.baughman@edcgov.us>
Sent: Thursday, April 11, 2019 4:34 PM
To: Yannayon, Laura <Yannayon.Laura@epa.gov>
Cc: Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov>
Subject: Re: Federal NSR update

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Great, thank you both. I'll wait to hear back from you Stephanie on the proper language for the resolution before I send it to our counsel.

Adam Baughman

Sr. Air Quality Engineer

El Dorado County Air Quality Mgmt District

345 Fair Lane, T-1

Placerville, CA, 95667

(530) 621-7571

On Thu, Apr 11, 2019 at 3:27 PM Yannayon, Laura <Yannayon.Laura@epa.gov> wrote:

Hi Adam and Stephanie,

I reviewed Stephanie's edits, especially in Section 9 for PALs. Most of the other District's have IBR'd this section, so I haven't had to review the rule text. I double checked both of the cross-references Stephanie questioned. The first one is correct, the second was not.

Also, as Stephanie noted, the bottom of each page of the rule should include the District's name and rule number (can use acronym). The FR office sometimes questions the completeness of a rule without this type of identification.

Thanks,

Laura

From: Adam Baughman <adam.baughman@edcgov.us>

Sent: Wednesday, April 10, 2019 4:22 PM

To: Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov>

Cc: Fideldy, Ariel@ARB <afideldy@arb.ca.gov>; Clerico, Brian@ARB <Brian.Clerico@arb.ca.gov>; Sutkus, Carol@ARB <carol.sutkus@arb.ca.gov>; Yannayon, Laura <Yannayon.Laura@epa.gov>

Subject: Re: Federal NSR update

Great, thanks so much. I'll wait to hear back from you on the resolution and from Laura on those section references.

Adam Baughman

Sr. Air Quality Engineer

El Dorado County Air Quality Mgmt District

345 Fair Lane, T-1

Placerville, CA, 95667

(530) 621-7571

On Wed, Apr 10, 2019 at 3:50 PM Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov> wrote:

Hi Adam,

Thank you for reaching out.

Sorry for the delay.

Overall the rule looks good. I have a few suggestions/changes to the rule. I am copying Laura Yannayon so she can double-check that the last two items regarding section numbers are correct. These are based on my notes on my previous review of the model rule language.

In regard to the resolution, I am waiting to hear back from our lawyers regarding whether or not a separate "Be it further resolved" statement is needed.

Thank you.

Sincerely,

Stephanie



Stephanie Parent,

Air Pollution Specialist
Air Quality Planning and Science Division | South Coast Section

P.O. Box 2815
Sacramento, CA 95812
Phone: (916) 324-0551
Fax: (916) 322-4357
stephanie.parent@arb.ca.gov
www.arb.ca.gov

The climate change challenge facing us is real. For a list of simple actions you can take to reduce your environmental impact, visit www.CoolCalifornia.org.

If you would like to give us feedback on our customer service, please complete the [customer satisfaction survey](#).

From: Adam Baughman <adam.baughman@edcgov.us>
Sent: Wednesday, April 10, 2019 11:52 AM
To: Parent, Stephanie@ARB <stephanie.parent@arb.ca.gov>
Cc: Fideldy, Ariel@ARB <afideldy@arb.ca.gov>; Clerico, Brian@ARB <Brian.Clerico@arb.ca.gov>;
Sutkus, Carol@ARB <carol.sutkus@arb.ca.gov>
Subject: Re: Federal NSR update

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Stephanie,

Do you have any input on the resolution I sent? I want to get it off to our counsel to get the ball rolling. Thanks.

Adam Baughman

Sr. Air Quality Engineer

El Dorado County Air Quality Mgmt District

345 Fair Lane, T-1

Placerville, CA, 95667

(530) 621-7571

Sincerely,

Stephanie



Stephanie Parent,

Air Pollution Specialist
Air Quality Planning and Science Division | South Coast Section

P.O. Box 2815
Sacramento, CA 95812
Phone: (916) 324-0551
Fax: (916) 322-4357
stephanie.parent@arb.ca.gov
www.arb.ca.gov

The climate change challenge facing us is real. For a list of simple actions you can take to reduce your environmental impact, visit www.CoolCalifornia.org.

If you would like to give us feedback on our customer service, please complete the [customer satisfaction survey](#).

WARNING: This email and any attachments may contain private, confidential, and privileged material for the sole use of the intended recipient. Any unauthorized review, copying, or distribution of this email (or any attachments) by other than the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments.

WARNING: This email and any attachments may contain private, confidential, and privileged material for the sole use of the intended recipient. Any unauthorized review, copying, or distribution of this email (or any attachments) by other than the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments.

WARNING: This email and any attachments may contain private, confidential, and privileged material for the sole use of the intended recipient. Any unauthorized review, copying, or distribution of this email (or any attachments) by other than the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments.

WARNING: This email and any attachments may contain private, confidential, and privileged material for the sole use of the intended recipient. Any unauthorized review, copying, or distribution of this email (or any attachments) by other than the intended recipient is strictly prohibited. If you are not the intended recipient, please contact the sender immediately and permanently delete the original and any copies of this email and any attachments.